Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
R. L. Baldwin
M. Cohn
R. Dulbecco
E. P. Geiduschek
F. Gros
J. Hurwitz
H. E. Huxley
V. M. Ingram
O. Maaløe
B. Magasanik
M. Meselson
A. Novick
D. C. Phillips
R. L. Sinsheimer

VOLUME 15
January to February 1966

ACADEMIC PRESS
LONDON and NEW YORK

Copyright © 1966, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any
form, by photostat, microfilm, or any other means,
without written permission from the publishers.

Printed in Great Britain

66-46539

QH301
J73
v.15

CONTENTS OF VOLUME 15

Number 1, January 1966

Marvin, D. A. and Schaller, H., The Topology of DNA from the Small Filamentous Bacteriophage fd 1

Marvin, D. A., X-ray Diffraction and Electron Microscope Studies on the Structure of the Small Filamentous Bacteriophage fd 8

Goodfriend, T. L., Sokol, D. M. and Kaplan, N. O., Control of Synthesis of Lactic Acid Dehydrogenases 18

Fan, D. P., Schlesinger, M. J., Torriani, A., Barrett, K. J. and Levinthal, C., Isolation and Characterization of Complementation Products of *Escherichia coli* Alkaline Phosphatase 32

Richardson, C. C., The 5′-Terminal Nucleotides of T7 Bacteriophage Deoxyribonucleic Acid 49

Horton, E., Liu, S.-L., Martin, E. M. and Work, T. S., Properties of a Virus-induced RNA Polymerase in Ascites Cells infected with Encephalomyocarditis Virus 62

Dalgarno, L., Martin, E. M., Liu, S.-L. and Work, T. S., Characterization of the Products formed by the RNA Polymerases of Cells infected with Encephalomyocarditis Virus 77

Roberts, W. K., Newman, J. F. E. and Rueckert, R. R., Synthesis of Maus-Elberfeld Viral RNA in Ascites Tumor Cells 92

McConkey, E. H. and Dubin, D. T., RNA–DNA Hybrid Formation with Methyl-deficient and Mature Ribosomal RNA from *Escherichia coli* . 102

Wang, J. C. and Davidson, N., Thermodynamic and Kinetic Studies on the Interconversion between the Linear and Circular Forms of Phage Lambda DNA 111

Furth, J. J. and Pizer, L. I., Deoxyribonucleic Acid-dependent Ribonucleic Acid Synthesis in *Escherichia coli* infected with Bacteriophage T2 . . 124

Schleich, T. and Goldstein, J., Gel Filtration Heterogeneity of *Escherichia coli* Soluble RNA 136

Dunnill, P. and Green, D. W., Sulphydryl Groups and the N $\leftrightarrows$ R Conformational Change in β-Lactoglobulin 147

Harrington, H. with the assistance of Ricanati, M., Effects of Various Agents on the Priming Activity of DNA for *Escherichia coli* DNA Polymerase 152

MARUSHIGE, K. and BONNER, J., Template Properties of Liver Chromatin . 160

SIGLER, P. B., JEFFERY, B. A., MATTHEWS, B. W. and BLOW, D. M., An X-ray Diffraction Study of Inhibited Derivatives of α-Chymotrypsin . . 175

GALLUCCI, E. and GAREN, A., Suppressor Genes for Nonsense Mutations. II. The *Su-4* and *Su-5* Suppressor Genes of *Escherichia coli* . . . 193

SWENSON, P. A. and SETLOW, R. B., Effects of Ultraviolet Radiation on Macromolecular Synthesis in *Escherichia coli*. 201

KATZ, L. and PENMAN, S., Association by Hydrogen Bonding of Free Nucleosides in Non-aqueous Solution 220

RAMACHANDRAN, G. N., MAZUMDAR, S. K., VENKATESAN, K. and LAKSHMINARAYANAN, A. V., Conformation of the Arginine Side-group and its Variations 232

SIGNER, E. R., Interaction of Prophages at the att_{80} Site with the Chromosome of *Escherichia coli* 243

TSUBOI, M., MATSUO, K. and Ts'o, P. O. P., Interaction of Poly-L-lysine and Nucleic Acids 256

LERMAN, M. I., SPIRIN, A. S., GAVRILOVA, L. P. and GOLOV, V. F., Studies on the Structure of Ribosomes. II. Stepwise Dissociation of Protein from Ribosomes by Caesium Chloride and the Re-assembly of Ribosome-like Particles 268

APPENDIX—SPIRIN, A. S. and BELITSINA, N. V., Biological Activity of the Re-assembled Ribosome-like Particles 282

FLORY, P. J. and MILLER, W. G., A General Treatment of Helix–Coil Equilibria in Macromolecular Systems 284

MILLER, W. G. and FLORY, P. J., Dimensions of Polypeptide Chains in Helicogenic Solvents 298

KLUG, A., LONGLEY, W. and LEBERMAN, R., Arrangement of Protein Subunits and the Distribution of Nucleic Acid in Turnip Yellow Mosaic Virus. I. X-ray Diffraction Studies 315

FINCH, J. T. and KLUG, A., Arrangement of Protein Subunits and the Distribution of Nucleic Acid in Turnip Yellow Mosaic Virus. II. Electron Microscopic Studies 344

Letters to the Editor—

CASPAR, D. L. D., An Analogue for Negative Staining 365

CAIRNS, J., Autoradiography of HeLa Cell DNA 372

MÜLLER-HILL, B., Suppressible Regulator Constitutive Mutants of the Lactose System in *Escherichia coli*. 374

MOMMAERTS, W. F. H. M., Ultraviolet Circular Dichroism of Myosin . 377

Kolodny, G. M. and Roslansky, J. D., Optical Rotatory Dispersion of Mitotic Apparatus isolated from Dividing Eggs of *Strongylocentrotus drobachiensis* 381

Cioli, D. and Baglioni, C., Origin of Structural Variation in Bence-Jones Proteins 385

Revel, M. and Littauer, U. Z., The Coding Properties of Methyl-deficient Phenylalanine Transfer RNA from *Escherichia coli* . . 389

Day, L. A., Protein Conformation in fd Bacteriophage as investigated by Optical Rotatory Dispersion 395

Edsall, J. T., Flory, P. J., Kendrew, J. C., Liquori, A. M., Némethy, G., Ramachandran, G. N. and Scheraga, H. A., A Proposal of Standard Conventions and Nomenclature for the Description of Polypeptide Conformations 399

Announcement 408

Number 2, February 1966

Murray, K., The Acid Extraction of Histones from Calf Thymus Deoxyribonucleoprotein 409

Bayley, S. T., Composition of Ribosomes of an Extremely Halophilic Bacterium 420

Edlin, G. and Maaløe, O., Synthesis and Breakdown of Messenger RNA without Protein Synthesis 428

Dennis, E. S. and Wake, R. G., Autoradiography of the *Bacillus subtilis* Chromosome 435

Okubo, S. and Romig, W. R., Impaired Transformability of a *Bacillus subtilis* Mutant Sensitive to Mitomycin C and Ultraviolet Radiation . . . 440

Leng, M. and Felsenfeld, G., A Study of Polyadenylic Acid at Neutral pH 455

Brahms, J., Michelson, A. M. and Van Holde, K. E., Adenylate Oligomers in Single- and Double-strand Conformation 467

Tanford, C., Pain, R. H. and Otchin, N. S., Equilibrium and Kinetics of the Unfolding of Lysozyme (Muramidase) by Guanidine Hydrochloride . 489

Aronson, A., Adsorption of Polysomes to Bacterial Membranes . . . 505

Szent-Györgyi, A. G. and Prior, G., Exchange of Adenosine Diphosphate bound to Actin in Superprecipitated Actomyosin and Contracted Myofibrils . 515

Huang, C. and Thompson, T. E., Properties of Lipid Membranes Separating Two Aqueous Phases: Water Permeability 539

Ageno, M., Dore, E., Frontali, C., Arca', M., Frontali, L. and Tecce, G., Interaction between Denatured DNA and RNA from *Bacillus stearothermophilus* Involving Only One-half of Total DNA. . . . 555

Swingle, K. F. and Cole, L. J., A DNA–RNA–Protein Complex Isolated from Rat Liver 573

Philipps, G. R., Protein Synthesis on Reticulocyte Ribosomes. II. The Binding of Peptidyl-sRNA to Ribosomes 587

Gould, H. J., Arnstein, H. R. V. and Cox, R. A., The Dissociation of Reticulocyte Polysomes into Subunits and the Location of Messenger RNA . 600

Das Gupta, N. N., Sarkar, M. and Misra, D. N., Electron Microscopic Studies on Denatured DNA from *Escherichia coli* 619

Tamaoki, T., The Particulate Fraction containing 45 s RNA in L Cell Nuclei 624

Brown, I. H., Freeman, K. B. and Johns, H. E., Photochemistry of Uridylyl-(3′ → 5′)-Uridine 640

Goldberg, A., Magnesium Binding by *Escherichia coli* Ribosomes . . 663

Letters to the Editor—

Horiuchi, T. and Inokuchi, H., Inhibition of the Formation of Superinfecting Bacteriophage Lambda Repressor with Chloramphenicol . 674

Pitts, J. D. and Sinsheimer, R. L., Effect of Phleomycin upon Replication of Bacteriophage ϕX174 676

Saludjian, P. and Luzzati, V., The α-Helix Conformation of Polypeptides in Solution: A Re-evaluation of the Small-angle X-Ray Scattering Evidence 681

Inman, J. K. and Bryan, R. F., The Unit Cell of Crystalline α-Lactalbumin 683

Errata 685

Announcements 686

Index 687

INSTRUCTIONS TO AUTHORS

1. The *Journal of Molecular Biology* will publish papers on the nature, production and replication of biological structure at the molecular level, and its relation to function. Suitable subjects are sub-cellular organization: molecular genetics: structure and replication of viruses: molecular structure of muscle, nerve and other tissues: structure of proteins, nucleic acids, carbohydrates, lipids, etc., and their synthetic analogues, as investigated by X-rays, light absorption and other methods: problems of inter- and intra-molecular energy transfer. The Journal will not as a rule publish papers when the subject matter is outside the fields defined above; however, when the subject matter borders on molecular biology and is of special interest in relation to molecular biology such papers may be published when space permits.

2. The Journal will also publish Letters to the Editor (averaging 1000 words), and occasional review articles dealing with a more restricted or immediately topical field than those in review journals. (The Editor should be consulted in advance by anyone who considers submitting such a review.)

3. Communications will often describe results obtained by specialized techniques (for example, those of X-ray crystallography and of genetics), and it is most important that technical terms should be avoided or be clearly defined; in any event the actual results obtained and their implications should be described in a way which does not demand from the reader specialized knowledge of a particular technique.

Papers should contain the maximum density of information compatible with clarity, and every sentence should be scrutinized to ensure that its presence is essential. Authors should include enough experimental details to enable others to repeat the work (these may be printed in small type). Careful preparation of manuscript will aid prompt publication; carelessness will cause delay.

4. *Submission of Manuscripts.* Manuscripts should be sent to Dr. J. C. Kendrew, Peterhouse, Cambridge, England, or to any member of the Editorial Board. The submission of manuscript will be taken to imply that the material is original, and that no similar paper has been or will be submitted for publication elsewhere.

Papers will normally be published in English. Manuscripts in French or German will also be accepted, though the use of these languages may cause delay in publication.

5. *Copy.* Papers should be typewritten in double spacing *throughout* (including tables, legends and footnotes), on one side of quarto paper, with a margin of 1 inch all round. The position of tables and illustrations should be indicated in the text; tables and legends for illustrations should be typed separately at the end of the manuscript. All pages should be numbered serially and securely fastened together. Two copies of each manuscript should be submitted, together with three copies of the summary (see § 6).

A short running title of not more than 40 characters (including spaces), suitable for page headings, should be indicated if the full title is longer than this.

The name of the laboratory where the work has been done should be indicated on the title page. All typescript (including the references) should be carefully checked for errors.

6. *Summary.* A summary will be printed at the head of all papers (excluding Letters to the Editor); this should generally not exceed 300 words, and should be intelligible to the general reader without reference to the main text. Abbreviations should be avoided. Summaries of papers to be printed in French or German will be in English, and should be longer (up to 1000 words) for the benefit of readers not familiar with these languages.

7. *Conventions.* The conventions used in current issues of the Journal for headings, references, etc., should be followed in preparing manuscripts. References should be listed alphabetically at the end of the paper, and abbreviated according to the *World List of Scientific Periodicals*, except that for periodicals with English names capital initial letters should be used throughout. Citations in the text should read thus: Smith, Brown & Robinson (1957), or (Smith, Brown & Robinson, 1957). When a citation has more than two authors, the names of all of them should be given at the first citation (except for more than five authors), and on subsequent citations thus: (Smith *et al.*, 1957). The conventions (Brown, 1957*a*), (Brown, 1957*b*) should be used where more than one paper by the same author(s) has appeared in one year. Volume number should be indicated in the typescript thus: **35**.

Footnotes should be avoided whenever possible. Essential footnotes should be indicated by superscript figures in the text and collected on a single page placed at the end of the manuscript.

Customary abbreviations will be used; authors may refer to *Chemical Abstracts*, to the *Biochemical Journal*, **66**, 8 (1957), and to *Notes on the preparation of papers to be communicated to the Royal Society* (1951). Certain non-standard abbreviations of chemical substances are convenient, and those listed in the *Journal of Biological Chemistry* may be used without further definition (e.g. DNA, ATP). Any other abbreviations of this kind should be used sparingly, and must be defined in a footnote at the point in each manuscript where the first such abbreviation occurs.

8. *Illustrations.* It is often convenient to make a *drawing* two or three times larger than it will

appear in the Journal, but very large drawings should be avoided and it will be helpful if drawings and illustrations are submitted on quarto (or 8½ by 11 inch) sheets. Drawings should be made in Indian ink on tracing linen, Bristol board, or faintly blue-lined graph paper; the originals should always be submitted with the manuscript, since photo-prints of drawings often cannot be reproduced satisfactorily. Explanations should, as far as possible, be placed in the legend; the drawing itself should contain a minimum of lettering, and this should be inserted lightly in *blue pencil*, in lower case except for proper names, when a capital should be used. It should be remembered that drawings will be reduced to a size not exceeding 8 by 5 inches, and that the final thickness of the lines should be 0·25 to 0·3 mm. If a curve is given merely for illustrative purposes no cross-lines are needed, but the axes should be graduated at intervals, and the diagram should be boxed in. Where possible, related diagrams should be grouped to form a single figure, and should be prepared uniformly and *on the same scale*. Where appropriate and possible a scale should be included in the illustration itself; the magnification may be noted in the legend and ajdusted after reduction by the blockmaker.

Whenever possible *photographs* should be supplied the same size as they are to appear in the Journal. The page area available for a plate is 5 by 7 inches or, at the most, 6 by 8 inches.

Line drawings will be referred to as Figure 1, Figure 2, etc., and half-tone blocks as Plate I, Plate II, etc. The name(s) of the author(s) and the number should be written on all illustrations, together with the indication "Top" if necessary. Besides the original illustrations *one* duplicate set must accompany the second copy of the manuscript; these may be photo-prints, and need not be of the same quality as the originals but must be clear and legible. If *oversize* original drawings are submitted (bigger than 8½ by 11 inches) they must be accompanied by *two* sets of small photo-prints.

9. *Reprints*. Fifty reprints of each paper will be supplied free of charge; additional copies may be purchased.